

Lens Plate Recommendations

For more information about this chart, click [here](#).

CANON LENSES	Plate Recommendations for: - WIMBERLEY HEAD (WH-200) - Non-Gimbal Heads (Ball Heads, etc.)	Plate Recommendations for: - SIDEKICK (SK-100) - Sidemount Wimberley (WH-200-S)
28-300 IS	P-20	P-20
35-350	P-20	P-20
65 2.8 1-5x macro (w/ collar "B")	P-20	P-20
70-200 2.8	P-20	P-20
70-200 4.0	P-10	P-10
70-300 4.0-5.6 L IS (w/ collar "C")	P-20	P-20
80-200 2.8	P-20	P-20
100 macro w/ collar	P-20	P-20
100-400	P-20	P-20
180 macro	P-20	P-20
200 1.8	P-20	P-20
200 2.0	P-20	P-20
200 2.8 II w/ collar	P-20	P-20
200-400 4.0 IS Ext 1.4****	P-40 w/standard foot P-20 w/monopod foot	P-40 + AP-900**
300 4.0	P-10	P-10
300 4.0 IS	P-20	P-20
300 2.8	P-20	P-20
300 2.8 IS (ver. I & II)	P-30	P-30
400 5.6	P-20	P-20
400 4.0 DO	P-20	P-20
400 2.8 non-IS	P-50	P-50 + AP-900** (not compatible with Sidemount)
400 2.8 IS (ver. I & II)	P-50 or AP-602	AP-602
500 4.5	P-40	P-40
500 4.0 IS (ver. I)	P-40	P-40
500 4.0 IS (ver. II)	P-50	P-50 + AP-900
600 4.0 non-IS	P-50	P-50 + AP-900** (not compatible with Sidemount)
600 4.0 IS (ver. I)	P-50 or AP-602	(P-50 + AP-902) or AP-602
600 4.0 IS (ver. II)	P-50 or AP-602	(P-50 + AP-901) or AP-602
600 4.5	P-50	P-50
800 5.6 MF	P-50	(not compatible with Sidekick or Sidemount)
800 5.6 IS	P-50 or AP-602	P-50 or AP-602

**** This lens comes with two sizes of interchangeable feet.

LEICA LENSES (APO-TELYT-R Modular System)	Plate Recommendations for: - WIMBERLEY HEAD (WH-200) - Non-Gimbal Heads (Ball Heads, etc.)	Plate Recommendations for: - SIDEKICK (SK-100) - Sidemount Wimberley (WH-200-S)
280-560	P-40	P-40
400-800	P-40	P-40

NIKON LENSES	Plate Recommendations for: - WIMBERLEY HEAD (WH-200) - Non-Gimbal Heads (Ball Heads, etc.)	Plate Recommendations for: - SIDEKICK (SK-100) - Sidemount Wimberley (WH-200-S)
50-300 4.5 Ai-S	P-20	P-20
70-180 micro	P-10	P-10
70-200 2.8 VR (I & II)	P-20 + SW-100*	P-20 + SW-100*
80-200 2.8	P-10	P-10
80-200 2.8 AF-S	P-10	P-10
80-400 VR (I & II)	P-10	P-10
200 2.0 VR (I & II)	P-20 (Interferes w/ hood reversal)	P-20 (Interferes w/ hood reversal)
200 4.0 micro	P-10 + SW-100*	P-10 + SW-100*
200-400 MF	P-40	P-40
200-400 VR (I & II)	AP-554 (or P-40)	AP-554

300 4.0	P-10	P-10
300 2.8 MF	P-20	P-20
300 2.8 AF	P-20	P-20
300 2.8 AF-I	P-20	P-20
300 2.8 AF-S	P-30	P-30
300 2.8 VR (I & II)	P-30	P-30
400 3.5 MF	P-30	P-30
400 2.8 MF	P-50	P-50
400 2.8 AI-S	P-50	P-50 + AP-903** (not compatible with Sidemount)
400 2.8 AF-I	P-50	P-50 + AP-903** (not compatible with Sidemount)
400 2.8 AF-S I	AP-452 (Mandatory for use w/ WH-200)	AP-452
400 2.8 AF-S II	AP-452 (Mandatory for use w/ WH-200)	AP-452
400 2.8 VR (I & II)	AP-452 (Mandatory for use w/ WH-200)	AP-452
500 4.0 MF	P-30	P-30
500 4.0 AF-I	P-40	P-40 + AP-902** (not compatible with Sidemount)
500 4.0 AF-S I	AP-554	AP-554
500 4.0 AF-S II	AP-554	AP-554
500 4.0 VR (I & II)	AP-554	AP-554
600 4.0 MF	P-50	P-50 + AP-900** (not compatible with Sidemount)
600 4.0 AF-I	P-50	P-50 + AP-902** (not compatible with Sidemount)
600 4.0 AF-S I	AP-652	AP-652 + AP-900** (not compatible with Sidemount)
600 4.0 AF-S II	AP-452 (Mandatory for use w/ WH-200)	AP-452
600 4.0 VR (I & II)	AP-452 (Mandatory for use w/ WH-200)	AP-452
600 5.6 MF	P-30	P-30
800 5.6 MF	P-50	P-50 + AP-900** (not compatible with Sidemount)
800 5.6 VR	P-40 (or AP-452 foot****)	P-40 + AP-900** (or AP-452 foot****)

****will not balance with cameras that weigh less than 2.0lbs (including battery)

MINOLTA	Plate Recommendations for: - WIMBERLEY HEAD (WH-200) - Non-Gimbal Heads (Ball Heads, etc.)	Plate Recommendations for: - SIDEKICK (SK-100) - Sidemount Wimberley (WH-200-S)
70-200 2.8	P-10 + SW-100*	P-10 + SW-100*
80-200 2.8	P-10	P-10
300 2.8	P-20	P-20
400 4.5	P-10	P-10
600 4.0	P-50 + two BS-100***	P-50 + two BS-100***

OLYMPUS (ZUIKO DIGITAL LENSES)	Plate Recommendations for: - WIMBERLEY HEAD (WH-200) - Non-Gimbal Heads (Ball Heads, etc.)	Plate Recommendations for: - SIDEKICK (SK-100) - Sidemount Wimberley (WH-200-S)
35-100 2.0	P-20	P-20
50-200	P-20	P-20
90-250 2.8	P-40	P-40
150 2.0	P-10	P-10
300 2.8	P-30	P-30

PENTAX LENSES	Plate Recommendations for: - WIMBERLEY HEAD (WH-200) - Non-Gimbal Heads (Ball Heads, etc.)	Plate Recommendations for: - SIDEKICK (SK-100) - Sidemount Wimberley (WH-200-S)
60-250 4.0 ED(IF)	P-20	P-20
250-600 5.6 ED(IF)	P-50 + BS-100***	P-50 + BS-100***
300 2.8 MF SMCP-A	P-20	P-20
300 2.8 AF SMCP-FA	P-30	P-30
400 2.8 ED(IF)	P-30	P-30
400 4.0 SMC M*67	P-40	P-40
500 4.5 MF SMCP	P-40 + BS-100***	P-40 + BS-100***
600 4.0 AF SMCP-FA	P-50 + BS-100***	P-50 + BS-100***
800 6.7 IF SMCP-67	P-50 + BS-100***	P-50 + BS-100***

1200 8.0 MF SMCP-A	P-50 + BS-100*** + SW-100*	P-50 + BS-100*** + SW-100*
--------------------	----------------------------	----------------------------

SONY LENSES	Plate Recommendations for: - WIMBERLEY HEAD (WH-200) - Non-Gimbal Heads (Ball Heads, etc.)	Plate Recommendations for: - SIDEKICK (SK-100) - Sidemount Wimberley (WH-200-S)
70-400	P-20 + BS-100*** + SW-100*	P-20 + BS-100*** + SW-100*
300 2.8	P-30	P-30

SIGMA LENSES	Plate Recommendations for: - WIMBERLEY HEAD (WH-200) - Non-Gimbal Heads (Ball Heads, etc.)	Plate Recommendations for: - SIDEKICK (SK-100) - Sidemount Wimberley (WH-200-S)
Any lens with a TS-41 Collar & foot	P-40	P-40
50-500	P-40	P-40
70-200 2.8	P-10	P-10
80-200 2.8	P-10	P-10
80-400 4.5	P-40	P-40
100-300 4.0	P-10	P-10
120-300 2.8	P-20	P-20
120-400 HSM	P-30	P-30
135-400 5.6	P-10	P-10
150 2.8 Macro	P-20	P-20
150-500	P-50	P-50
170-500 5.0	P-10	P-10
180 macro	P-10	P-10
300 4.0	P-10	P-10
300 2.8	P-20	P-20
300-800 5.6	P-50 + BS-100***	P-50 + BS-100*** + AP-900** (not compatible w/ Sidemount)
400 5.6	P-10	P-10
500 4.5 NON-HSM	P-30 + BS-100***	P-30 + BS-100*** + AP-900** (not compatible w/ Sidemount)
500 4.5 HSM	P-50	P-50 + AP-900** (not compatible with Sidemount)
800 5.6 HSM	P-50	P-50 + AP-900** (not compatible with Sidemount)

TAMRON LENSES	Plate Recommendations for: - WIMBERLEY HEAD (WH-200) - Non-Gimbal Heads (Ball Heads, etc.)	Plate Recommendations for: - SIDEKICK (SK-100) - Sidemount Wimberley (WH-200-S)
70-200 2.8	P-20	P-20
70-210 2.8 w/ collar	P-10	P-10
180 macro 2.8	P-10	P-10
200-400 5.6	P-10	P-10
200-500 5.6-6.3	P-10	P-10
300 2.8	P-20	P-20

TOKINA LENSES	Plate Recommendations for: - WIMBERLEY HEAD (WH-200) - Non-Gimbal Heads (Ball Heads, etc.)	Plate Recommendations for: - SIDEKICK (SK-100) - Sidemount Wimberley (WH-200-S)
80-200 2.8	P-10	P-10
100-400 4.0	P-10	P-10
300 4.0	P-10	P-10
300 2.8	P-20	P-20
400 5.6	P-10	P-10